

Curriculum Vitae

Jan Grimm, MD, PhD

A General Information:

Place of Birth: Hamburg, Germany
Date of Birth: 11/28/1968
Languages: English, German (both fluent)
Gender: Male

Current address: Sloan Kettering Institute
 Molecular Pharmacology and Chemistry Program
 417 East 68, ZRC-2003
 New York, NY, 10065, USA
 grimmj@mskcc.org
 646-888-3095

B Education:

<i>Degree</i>	<i>Institution name and location</i>	<i>Dates attended</i>	<i>Year awarded</i>
MD	University of Hamburg Hamburg, Germany	10/01/1988-11/27/1995	1996
PhD	University of Schleswig-Holstein Kiel, Germany (Habilitation)	07/01/1997-12/31/2001	2005

C Professional Positions and Employment

1. Training

<i>Title</i>	<i>Institution name and location</i>	<i>Dates held</i>
Intern	University of Hamburg, Germany	12/1995-05/1997
Resident	Radiology, University of Kiel, Germany	07/1997-12/2001
Research Fellow	Center for Molecular Imaging Research, MGH, Harvard Medical School, Boston, MA	01/2002-12/2003
Clinical Fellow	Body Imaging, Dept. of Radiology, MSKCC, New York, NY	10/2006-12/2007
Resident	Nuclear Medicine, Dept. of Radiology, MSKCC, New York, NY	01/2007 – 06/2009

2. Academic Positions

<i>Title</i>	<i>Institution name and location</i>	<i>Dates held</i>
Instructor	Dept. of Radiology, MGH, Harvard Medical School, Boston, MA	01/01/2004 – 6/30/2006

Assistant Member	Molecular Pharmacology and Chemistry SKI, New York, NY	07/2009 - current
Assistant Attending	Department of Radiology Memorial, New York, NY	07/2009 - current
Assistant Professor	Department of Radiology Cornell University, NY	08/2009 - current
Assistant Professor	Gerstner Sloan-Kettering Grad. School of Biomedical Science	09/2009 - current

D Licensure, Board Certification

1. Licensure

<i>State</i>	<i>Date of issue</i>	<i>Date of last registration</i>
NY	January 2009	January 2009
Germany	1997	n.a.

2. Board Certification

<i>Full name of Board</i>	<i>Certificate #</i>	<i>Date</i>
Diagnostic Radiology (Germany)	n.a.	November 2001
Nuclear Medicine (ABNM)	07840	December 2009

E Professional Memberships

<i>Role</i>	<i>Society</i>	<i>Year</i>
Corresponding Member	European Congress of Radiology	1997
Committee, Member	Deutsche Röntgengesellschaft (DRG)	1997
Member	Society of Molecular Imaging (SMI)	2002
Member	Radiological Society of North America	2005
Member	Society of Nuclear Medicine	2009
Member	American Association for Cancer Research	2010

F Honors and Awards:

<i>Name of Award</i>	<i>Year</i>
Research Award, Dept. of Radiology, University of Kiel	2001
Soc. of Molecular Imaging Young Investigator Travel Award	2004

G Bibliography:

1. Peer reviewed articles

(* shared first authorship)

Santra S, Kaittanis C, **Grimm J**, Peres JM (2009) Drug/Dye-Loaded, Multifunctional Iron Oxide Nanoparticles for Combined Targeted Cancer Therapy and Dual Optical/MR-Imaging. *Small* 5(16): 1862-8

- Perez JM*, **Grimm J***, Lee Josephson, Ralph Weissleder (2008) Integrated nanosensors to determine levels and functional activity of human telomerase. *Neoplasia* 10(10) :1066-72
- Grimm J**, Hricak H (2008) Imaging in Urology – Looking forward. *Curr Opin Urol* 18(1):61-4
- Kircher M, **Grimm J**, Filip K. Swirski, Peter Libby, Robert E. Gerszten, Jennifer R. Allport, Ralph Weissleder (2008) Noninvasive in vivo imaging of monocyte trafficking to atherosclerotic lesions. *Circulation* 117(3):388-95
- Pittet M*, **Grimm J***, Berger CR*, Tamura T, Wojtkiewicz G, Nahrendorf M, Romero P, Swiski P, Weissleder R (2007) In vivo imaging of T cell delivery to tumors after adoptive transfer therapy. *Proc Nat Acad Science* 104(30): 12457
- Kirsch DG, Dinulescu DM, Miller JB, **Grimm J**, Santiago PM, Young NP, Nielsen GP, Quade BJ, Chaber CJ, Schultz CP, Takeuchi O, Bronson RT, Crowley D, Korsmeyer SJ, Yoon SS, Hornicek FJ, Weissleder R, Jacks T (2007) A Spatially- and Temporally-Restricted Mouse Model of Soft Tissue Sarcoma. *Nature Medicine* 13(8): 992
- Ventura A*, Kirsch DG*, McLaughlin ME, Tuveson DA, **Grimm J**, Lintault L, Newman J, Reczek EE, Weissleder R, Jacks T (2007) Restoration of p53 function leads to tumor regression in vivo. *Nature* 445: 661-665
- Campanella GS, **Grimm J**, Manice LA, Colvin RA, Medoff BD, Wojtkiewicz GR, Weissleder R, Luster AD (2006) Oligomerization of CXCL10 Is Necessary for Endothelial Cell Presentation and In Vivo Activity. *J Immunol.* 2006 Nov 15;177(10):6991-8
- Tannous B*, **Grimm J***, Perry KF, Chen JW¹, Ralph Weissleder R, Breakefield XO (2006) Metabolic biotinylation of cell surface receptors for *in vivo* imaging. *Nature Methods* 3(5): 391-396
- Rabin O, Perez JM, **Grimm J**, Wojtkiewicz G, Weissleder R (2006) An x-ray CT imaging agent based on long circulating bismuth sulfide nanoparticles. *Nature Materials* 5(2): 118 - 122
- Zacharakis G, Kambara H, Shih H, Ripoll J, **Grimm J**, Saeki Y, Weissleder R, Ntzia-christos V (2005) Volumetric tomography of fluorescent proteins through small animals in-vivo. *Proc Nat Acad Science* 102 (51): 18252-18257
- Grimm J***, Kirsch DG*, Windsor SD, Bender Kim CF, Santiago PM, Ntzia-christos V, Jacks T, Weissleder R (2005) Use of Gene Expression Profiling to Direct In Vivo Molecular Imaging of Lung Cancer. *Proc Nat Acad Science* 102 (40): 14404-14409
- Montet A, Ntzia-christos V, **Grimm J**, Weissleder R (2005) Quantitative 3D fluorescence mapping of tumors. *Cancer Research* 65: 6330-6336
- Grimm J**, and Wunder A (2004): [Current status of molecular imaging.] *Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfah.* 2004 177:326-337
- Moore A, **Grimm J**, B Han, P Santamaria (2004) Tracking the recruitment of diabetogenic Cd8+ T-cells to the pancreas in real time *Diabetes* 53(6):1459-66
- Grimm J**, Perez M, Josephson L, Weissleder R (2004) Novel nanosensors for rapid detection of telomerase activity *Cancer Research* 64: 639-43

- Wunder A, **Grimm J**, Müller-Ladner U (2003) Molekulare Bildgebung bei rheumatoider Arthritis [Molecular Imaging in rheumatoid arthritis]. *Z Rheumatol* 62 (Suppl 2) II/1-II/4
- Grimm J**, Potthast A, Wunder A, Moore A (2003) Magnetic resonance imaging of the pancreas and pancreatic tumors in a mouse orthotopic model of human Cancer. *Int J Cancer* 106: 806-11
- Muller-Hulsbeck S, Dimitte DN, Jahnke T, Hedderich J, **Grimm J**, Heller M (2003). [In-vitro comparison of the effectiveness of different high-speed rotatory catheters]. *Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr* 175(3): 406-12.
- Muller-Hulsbeck S, Jahnke T, Liess C, Glass C, **Grimm J**, Heller M (2003). Comparison of various cerebral protection devices used for carotid artery stent placement: an in vitro experiment. *J Vasc Interv Radiol* 14(5): 613-20.
- Mohr A, Priebe M, Taouli B, **Grimm J**, Heller M, Brossmann J (2003). Selective water excitation for faster MR imaging of articular cartilage defects: initial clinical results. *Eur Radiol* 13(4): 686-9.
- Grimm J**, Brunn H, Heller M, Mueller-Huelsbeck S (2003). Hemolytic effect of deformed intra-arterial stents and stent grafts in vitro. *Eur Radiol* 13(6): 1333-8.
- Grimm J**, Jahnke T, Muhle C, Heller M, Muller-Hulsbeck S (2003). Influence of Thrombus Age on the Mechanical Thrombectomy Efficacy of the Amplatz Thrombectomy Device In Vitro. *Cardiovasc Intervent Radiol* 26(2).
- Both M, Jahnke T, Reinhold-Keller E, Reuter M, **Grimm J**, Biederer J, Brossmann J, Gross WL, Heller M, Mueller-Huelsbeck S (2003). Percutaneous management of occlusive arterial disease associated with vasculitis: a single center experience. *Cardiovasc Intervent Radiol* 26(1): 19-26.
- Oudkerk M, Torres CG, Song B, Konig M, **Grimm J**, Fernandez-Cuadrado J, Op de Beeck B, Marquardt M, van Dijk P, de Groot JC (2002). Characterization of liver lesions with mangafodipir trisodium-enhanced MR imaging: multicenter study comparing MR and dual-phase spiral CT. *Radiology* 223(2): 517-24.
- Muller-Hulsbeck S, **Grimm J**, Leidt J, Heller M (2002). In vitro effectiveness of mechanical thrombectomy devices for large vessel diameter and low-pressure fluid dynamic applications. *J Vasc Interv Radiol* 13(8): 831-9.
- Muller-Hulsbeck S, **Grimm J**, Liess C, Hedderich J, Bergmeyer M, Heller M (2002). Comparison and modification of two cerebral protection devices used for carotid angioplasty: in vitro experiment. *Radiology* 225(1): 289-94.
- Muller-Hulsbeck S, Jahnke T, Liess C, Glass C, Paulsen F, **Grimm J**, Heller M (2002). In vitro comparison of four cerebral protection filters for preventing human plaque embolization during carotid interventions. *J Endovasc Ther* 9(6): 793-802.
- Muller-Hulsbeck S, Walluscheck KP, Priebe M, **Grimm J**, Cremer J, Heller M (2002). Experience on endothelial cell adhesion on vascular stents and stent-grafts: first in vitro results. *Invest Radiol* 37(6): 314-20.
- Muller-Hulsbeck S, Jahnke T, **Grimm J**, Behm C, Hilbert C, Frahm C, Biederer J, Brossmann J,

- Heller M (2002). [Early results with a monorail-stent-balloon device for endovascular treatment of renal artery stenosis]. *Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr* 174(3): 335- 41.
- Muhle C, Brossmann J, Biederer J, Jahnke T, **Grimm J**, Heller M (2002). [Alar ligaments: radiological aspects in the diagnosis of patients with whiplash injuries]. *Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr* 174(4): 416-22.
- Jahnke T, Voshage G, Muller-Hulsbeck S, **Grimm J**, Heller M , Brossmann J (2002). Endovascular Placement of Self-expanding Nitinol Coil Stents for the Treatment of Femoropopliteal Obstructive Disease. *J Vasc Interv Radiol* 13(3): 257-66.
- Biederer J, Reuter M, Both M, Muhle C, **Grimm J**, Graessner J , Heller M (2002). Analysis of artefacts and detail resolution of lung MRI with breath-hold T1-weighted gradient-echo and T2-weighted fast spin-echo sequences with respiratory triggering. *Eur Radiol* 12(2): 378-84.
- Biederer J, Busse I, **Grimm J**, Reuter M, Muhle C, Freitag S , Heller M (2002). [Sensitivity of MRI in detecting alveolar Infiltrates: Experimental studies]. *Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr* 174(8): 1033-9.
- Priebe M, Paulsen F, Jahnke T, **Grimm J**, Heller M , Muller-Hulsbeck S (2001). [Mechanical brush-catheter abrasion method for the isolation and culture of human umbilical vein endothelial cells. First in vitro results]. *Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr* 173(10): 955- 8.
- Müller-Hülsbeck S, **Grimm J**, Jahnke T, Häselbarth G , Heller M (2001). Flow patterns from metallic vascular endoprostheses: in vivo results. *Eur Radiol* 11: 893-901.
- Müller-Hülsbeck S, Brossmann J, Jahnke T, **Grimm J**, Reuter M, Bewig B , Heller M (2001). Mechanical thrombectomy of major and massive pulmonary embolism with use of the amplatz thrombectomy device. *Invest Radiol* 36(6): 317-22.
- Muller-Hulsbeck S, **Grimm J**, Leidt J, Jahnke T , Heller M (2001). Comparison of in vitro effectiveness of mechanical thrombectomy devices. *J Vasc Interv Radiol* 12(10): 1185-91.
- Muhle C, Brossmann J, Biederer J, **Grimm J**, Mohr A , Heller M (2001). [Value of kinematic MRI in the evaluation of patients with exacerbated pain in cervical spine motion compared with static MRI]. *Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr* 173(2): 126-32.
- Jahnke T, Link J, Muller-Hulsbeck S, **Grimm J**, Heller M , Brossman J (2001). Treatment of infrapopliteal occlusive disease by high-speed rotational atherectomy: initial and mid-term results. *J Vasc Interv Radiol* 12(2): 221-6.
- Grimm J**, Muller-Hulsbeck S, Blume J, Biederer J , Heller M (2001). [Comparison of biphasic spiral CT and MnDPDP-enhanced MRI in the detection and characterization of liver lesions]. *Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr* 173(3): 266-72.
- Grimm J**, Muller-Hulsbeck S , Heller M (2001). Comparison of the mechanical thrombectomy efficacy of the Amplatz thrombectomy device and the Cragg thrombolytic brush in vitro. *Invest Radiol* 36(4): 204-9.
- Grimm J**, Muller-Hulsbeck S, Jahnke T, Hilbert C, Brossmann J , Heller M (2001). Randomized study to compare PTA alone versus PTA with Palmaz stent placement for femoropopliteal

- lesions. *J Vasc Interv Radiol* 12(8): 935-42.
- Grimm J**, Mueller-Huelsbeck S, Mueller M, Egbers HJ, Brinkmann G, Heller M (2001). Evaluation of hydroxyapatite implants in vertebral bodies and extremities by contrast-enhanced magnetic resonance imaging. *Arch Orthop Trauma Surg* 121(3): 158-61.
- Burklein D, Lochmuller E, Kuhn V, **Grimm J**, Barkmann R, Muller R, Eckstein F (2001). Correlation of thoracic and lumbar vertebral failure loads with in situ vs. ex situ dual energy X-ray absorptiometry. *J Biomech* 34(5): 579-87.
- Müller-Hülsbeck S, **Grimm J**, Jahnke T, Brossmann J, Hilbert C, Heller M (2000). [First results after implantation of the new balloon-expanded Bridge- Stent into the iliac artery]. *Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr* 172(10): 836- 41.
- Karger N, Biederer J, Lusse S, **Grimm J**, Steffens J, Heller M, Gluer C (2000). Quantitation of renal perfusion using arterial spin labeling with FAIR- UFLARE. *Magn Reson Imaging* 18(6): 641-7.
- Jahnke T, Brossmann J, Voshage G, Hilbert C, Muller-Hulsbeck S, **Grimm J**, Toellner D, Heller M (2000). [Mid-term follow-up after placement of the new balloon-expandable VIP-stent into the iliac arteries]. *Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr* 172(4): 381-5.
- Grimm J**, Karger N, Lusse S, Winoto-Morbach S, Krisch B, Muller-Hulsbeck S, Heller M (2000). Characterization of ultrasmall magnetite [correction of paramagnetic magnetite] particles as superparamagnetic contrast agents in MRI. *Invest Radiol* 35(9): 553-6.
- Todriia TV, Drize NI, Chertkov IL, **Grimm J**, Zander A (1999). [Telomerase activity in the mouse bone marrow and subpopulations of spleen colony-forming units]. *Biull Eksp Biol Med* 127(3): 311-3.
- Muller-Hulsbeck S, Schwarzenberg H, Tschach T, **Grimm J**, Heller M (1999). [In vitro comparison of a size 6F and 8F high-speed rotational catheter for mechanical thrombus fragmentation]. *Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr* 170(1): 94-8.
- Muller-Hulsbeck S, Bathe M, **Grimm J**, Heller M (1999). Enhancement of in vitro effectiveness for hydrodynamic thrombectomy devices. Simultaneous high-pressure rt-PA application. *Invest Radiol* 34(8): 536-42.
- Muller-Hulsbeck S, **Grimm J**, Suwelack D, Heller M (1999). Mechanical assistance for enhancement of in vitro effectiveness for hydrodynamic thrombectomy. *Invest Radiol* 34(11): 669-77.
- Grimm J**, Zeller W, Zander AR (1998). Soluble interleukin-2 receptor serum levels after allogeneic bone marrow transplantations as a marker for GVHD. *Bone Marrow Transplant* 21(1): 29-32.
- Zander AR, Berger C, Kroger N, Stockshlader M, Kruger W, Horstmann M, **Grimm J**, Zeller W, Kabisch H, Erttmann R, Schonrock P, Kuse R, Braumann D, Illiger HJ, Fiedler W, de Witt M, Hossfeld KD, Weh HJ (1997). High dose chemotherapy with busulfan, cyclophosphamide, and etoposide as conditioning regimen for allogeneic bone marrow transplantation for patients with acute myeloid leukemia in first complete remission. *Clin Cancer Res* 3(12 Pt 2): 2671-5.
- Stockshlader M, Hassan HT, Krog C, Kruger W, Loliger C, Horstman M, Altnoder M, Clausen J, **Grimm J**, Kabisch H, Zander A (1997). Long-term follow-up of leukaemia patients after

related cryopreserved allogeneic bone marrow transplantation. Br J Haematol 96(2): 382-6.

Kruger W, Stockschräder M, Sobottka I, Betker R, De Wit M, Kroger N, **Grimm J**, Arland M, Fiedler W, Erttmann R, Zander AR (1997). Antimycotic therapy with liposomal amphotericin-B for patients undergoing bone marrow or peripheral blood stem cell transplantation. Leuk Lymphoma 24(5-6): 491-9.

Grimm J, Zeller W, Zander AR (1995). Separation and characterization of mobilized and unmobilized peripheral blood progenitor cells by counterflow centrifugal elutriation. Exp Hematol 23(6): 535-44.

2. Book Chapters

Grimm J. Combination of SPECT and CT. In: Ntziachristos V (ed) Textbook of in-vivo imaging in vertebrates. Willey & Sons, London (in press)

Grimm J, Hengerer A, Schultz CP, Wunder A (2005). Molecular Imaging. In: Oppelt A (ed.) Imaging systems for medical diagnostics. Publicis MCD Verlag, Erlangen (in press)

Grimm J, Heller M (2001) Radiologische Schnittbilddiagnostik in der Onkologie. In: Handbuch der onkologischen Therapie (Ed.:Bruhn), Schattauer-Verlag, submitted

Zander A, Zeller W, Stockschräder M, Berger C, Krüger W, **Grimm J**, Hummel K, Lölliger C, Kühnl P, Kabisch H (1996) Mobilization of progenitor cells for autologous and allogeneic transplantation. In: Gene Technology. Stem cell and leukemia research. Zander AR, Ostertag W, Afanasiev BV, Grosveld F (eds.) Springer-Verlag Berlin Heidelberg

Zander AR, **Grimm J**, Zeller W (1994) Separation of peripheral blood stem cells by counterflow centrifugal elutriation. In: Molecular Biology of Hematopoiesis Volume 3. Proceedings of the 8th Symposium on Molecular Biology of Hematopoiesis held at the Basel Convention Center(New York Medical College, Basel Switzerland, 9-13 July 1993, Intercept Ltd, Andover, UK

Zander A, Zeller W, Stockschräder M, Berger C, Krüger W, **Grimm J**, Hummel K, Lölliger C, Kühnl P, Kabisch H (1996) Mobilization of progenitor cells for autologous and allogeneic transplantation. In: Gene Technology. Stem Cell and Leukemia Research. AR Zander, W Ostertag, BV Afanaiev, F Grosveld (Edits.) NATO AI Series Vol h 94. Springer-Verlag Berlin Heidelberg 1996

Stockschräder M, **Grimm J**, Hassan HT, Arland M, Lölliger C, Clausen J, Horstmann M, Kabisch H, Zander AR (1998) Antithymocyte Globulin as part of the pretransplant conditioning regimen may reduce transplant-related morbidity and mortality in Chronic Myelogenous Leukemia patients undergoing allogeneic bone marrow transplantation. In: Acute Leukemia VII. Experimental Approach and Novel Therpies. Hiddemann W, Büchner T, Wörmann B, Ritter J, Creutzig U, Keating M, Plunkett W (Eds.). Springer Verlag Berlin, Heidelberg, New York

3. Dissertations

Grimm J (2005) Molekulare Bildgebung mit Magnetresonanztomographie und Eisenoxidpartikeln: Neue Möglichkeiten in der radiologischen Diagnostik [Molecular Imaging with magnetic resonance imaging and iron oxide particles: new horizons for Radiology]. Habilitation, University of Kiel, Germany

Grimm J (1997) Counterflow Centrifugal Elutriation (CCE) von Knochenmark, Stammzellseparations- und Leukaphereseprodukten zur T-Zell-Depletion sowie zur Anreicherung und Charakterisierung CD34-positiver Zellen. [Counterflow Centrifugal Elutriation (CCE) of bone marrow, stem cell separations and leucapheresis products for T-cell depletion as well as for the enrichment and characterization of CD34-pos. Cells.] Dissertation, Universität Hamburg

4. Invited Talks

Molecular Imaging of prostate cancer (2009) Symposium on Novel Tools for Risk Assessment and Early Detection of Premalignant Lesions and Cancer, German Cancer Society, Bonn, Germany

PET/CT – Current and future clinical applications (2009) European Congress of Radiology, Vienna, Austria

Molecular Imaging – Gate to the future (2008) Pelican Colloquium on Focal Therapy for Prostate Cancer, Basingstoke, UK

Molecular Imaging in Cancer Research and beyond (2007) Blankenese Konferenz 2007, Hamburg, Germany

Molecular Imaging: Future Impact on Radiology (2007) 7th biennial international symposium of the international society for strategic studies in Radiology, Munich, Germany

Trends in Molecular Imaging (2006) Molecular Imaging 2006, Jena, Germany

Molecular Imaging with nanoparticles (2006) 1st. International symposium on nanoparticles, San Diego, CA

Molekulare Bildgebung mit MRT (2003) 20th MR Symposium, Technische Universität München, Munich, Germany

Molecular Imaging mittels MRT und superparamagnetischen Nanopartikeln. (2003) Workshop at the 84th meeting of the German Röntgengesellschaft, Wiesbaden, Germany

New Horizons in Molecular Imaging (2003) Symposium on Cancer and Photonics, Heidelberg, Germany